



Atty Dkt No. 8325-0015
Client Dkt No. S15-US1
PATENT

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on 16 Oct 2001.

10/16/01 Susan LaMont
Date Signature

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

WOLFFE et al.

Confirmation No.: 9055

Serial No.: 09/844,501

Group Art Unit: 1645

Filing Date: April 27, 2001

Examiner: Unassigned

Title: DATABASES OF REGULATORY SEQUENCES; METHODS OF
MAKING AND USING SAME

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to examination of the above-identified application, please insert the following amendments and remarks.

AMENDMENT

In the Specification:

Please replace the paragraph beginning on page 15, line 23, with the following rewritten paragraph:

-- FIG. 11 (SEQ ID NOS:23 and 24) shows the nucleotide sequence of the accessible region located around 1,000 base pairs upstream of the transcriptional startsite of the human VEGF gene. Target sites for various transcription factors are indicated. Sequences of the murine and human VEGFA genes in this region are shown.--


Attached hereto is a marked-up version of the changes made to the specification by the current amendment. The attached page is captioned **“Version with markings to show changes made.”**

REMARKS

The foregoing amendments are made to add two new sequence identification numbers to the specification. No new matter has been added.

Respectfully submitted,

Date: Oct 16, 2001

By: 
Dahna S. Pasternak
Registration No. 41,411

ROBINS & PASTERNAK LLP
90 Middlefield Road, Suite 200
Menlo Park, CA 94025
Telephone: 650-325-7812
Facsimile: 650-325-7823

Version with markings to show changes made.

In the Specification:

Paragraph beginning on page 15, line 23, has been amended as follows:

FIG. 11 (SEQ ID NOS:23 and 24) shows the nucleotide sequence of the accessible region located around 1,000 base pairs upstream of the transcriptional startsite of the human VEGF gene. Target sites for various transcription factors are indicated. Sequences of the murine and human VEGFA genes in this region are shown.